

3/6




FIG. 4B




FIG. 5

600

4/6

The screenshot shows a web-based administrative console for an Application Server. The main window has a title bar, a menu bar (File, Edit, View, Insert, Format, Tools, Window, Help), and a navigation bar (Back, Forward, Stop, Refresh, Home). The main content area is titled 'Application Server ADMINISTRATIVE CONSOLE' and includes a sub-menu (Home, Save, Preferences, Logout, Help). On the left, a tree view shows the 'Applications' folder expanded, with 'Enterprise Applications' and 'Install New Application' selected. The 'Install New Application' dialog box is open, showing 'Step 1: Provide options to perform the installation'. The dialog box contains a list of options with checkboxes and text input fields. The 'AppDeployment Options' section is expanded, showing 'Enable' checked. The 'Pre-compile JSP' checkbox is unchecked. The 'Directory to Install Application' text field is empty. The 'Distribute Application' checkbox is checked. The 'Use Binary Configuration' checkbox is unchecked. The 'Deploy EJBs' checkbox is checked. The 'Application name' text field contains 'BluePrints\_Petstore'. The 'Create MBeans for Resources' checkbox is checked. The 'Enable Class Reloading' checkbox is unchecked. The 'Reload Interfal' text field is empty. At the bottom of the dialog box are 'Next' and 'Cancel' buttons. Below the dialog box, a list of steps is shown, with 'Step 6' selected. The status bar at the bottom of the console is labeled 'Status Bar'.

**Application Server ADMINISTRATIVE CONSOLE** | 602

Home | Save | Preferences | Logout | Help |

User ID: user1

Network

- Server
- Applications
  - Enterprise Applications
  - Install New Application
- Resources
- Security
- Environment
- System Administration
- Troubleshooting

**Install New Application** 620

Allows Installation of Enterprise Applications and Module

**Step 1: Provide options to perform the installation**

Specify the various options available to prepare and install your application

AppDeployment Options Enable

Pre-compile JSP ☐

Directory to Install Application

Distribute Application ☒

Use Binary Configuration ☐

Deploy EJBs ☒

Application name BluePrints\_Petstore

Create MBeans for Resources ☒

Enable Class Reloading ☐

Reload Interfal

Next Cancel

**Step 2** Provide options to perform the EJB Deploy

**Step 3** Provide JNDI Names for Beans

**Step 4** Provide default datasource mapping for modules co

**Step 5** Map datasources for all 2.0 CMP beans

**Step 6** Map EJB references to beans 624

**Step 7** Map resource references to resources

**Step 8** Map resource env entry references to resources

**Step 9** Map virtual hosts for web modules

Status Bar

FIG. 6A





FIG. 6B

**FIG. 7**